

Addendum:-

Read:- This office N.I.T. No.TC/G-55/293 dated 25.01.2018 SPPRA S. No.36470.

In compliance SPPRA rule No.-46(1) (a)(ii), SPPRA rules-2010.

03 Years experience in the related field.

Financial Turnover of last 03 years

The PEC Certificate is not required due to work is not more than 4.00 million.

The terms and conditions shall remain unchanged.

*sdl*  
EXECUTIVE ENGINEER,  
ROHRI DIVISION MORO.

NO.TC/G-55/ 456 of 2018

Moro dated 8-2 2018.

Copy submitted to the: -

1. Secretary to Government of Sindh Irrigation Department Karachi.
2. Secretary to Information & Technology Department of Sindh Secretariat No. 6 Karachi for wide publicity on Web.
3. Chief Engineer Sukkur Barrage Left Bank Region Sukkur.
4. Superintending Engineer Rohri Canal Circle Hyderabad.
5. P.S To Honorable Minister Irrigation Department Government of Sindh Karachi.
6. Director Information (Advertisement) Public Relation Department Block 96 Sindh Secretariat Karachi for wide publicity through leading newspapers (English, Urdu and Sindhi) six more copies are attached.
7. Managing Director SPPRA Karachi, along with soft copy of the corrigendum for publicity on the website.
8. Assistant Director (Assessment) Sindh Public Procurement Regulatory Authority read reference your office letter No. Mng (Assesst)/SPPRA/36470/2017/9034 dated 06.02.2018
9. Executive Engineer all of Rohri Canal Circle for wide publicity.
10. Copy for notice board.

*[Signature]*  
EXECUTIVE ENGINEER  
ROHRI DIVISION MORO.

*a.p*  
NO. PS/SECY/I.T/1594  
Dated: 09.02.2018