

OFFICE OF THE EXECUTIVE ENGINEER ROHRI DIVISION MORO

CORRIGENDUM :-

Read:- This office N.I.T. No.TC/G-55/293 dated 25.01.2018 SPPRA
S. No.36470.

The tenders invited vide this office NIT No. under reference, are
hereby cancelled due to non receipt of allocated funds against the said scheme.

sd/-
EXECUTIVE ENGINEER,
ROHRI DIVISION MORO.

NO.TC/G-55/ *472* of 2018

Moro dated *09/02/* 2018.

Copy submitted to the: -

1. Secretary to Government of Sindh Irrigation Department Karachi.
2. ✓ Secretary to Information & Technology Department of Sindh Secretariat No. 6 Karachi for wide publicity on Web.
3. Chief Engineer Sukkur Barrage Left Bank Region Sukkur.
4. Superintending Engineer Rohri Canal Circle Hyderabad.
5. Director Information (Advertisement) Public Relation Department Block 96 Sindh Secretariat Karachi for wide publicity through leading newspapers (English, Urdu and Sindhi) six more copies are attached.
6. Managing Director SPPRA Karachi, along with soft copy of the corrigendum for publicity on the website.
7. Executive Engineer all of Rohri Canal Circle for wide publicity.
8. Copy for notice board.

[Signature]
EXECUTIVE ENGINEER
ROHRI DIVISION MORO.

NO. PS/SECY/I.T/56/
Dated: 12-02-2018

W.P

3

CORRECTIONAL

1954
11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24

11/24